

NOTE


Before troubleshooting, be sure the outlet is working and the following connections are secure:

Keypad cable to control box Cables to control box

Leg to cables Power cord to control box

- Mark the boxes as appropriate; Result key on last page
- Once troubleshooting process begins, do not make any undirected changes to cable positions

TRC	UBL	ESHOOTING STEPS	
1		Is the keypad equipped with an LED read-out?	Yes → Go to step 2
			No → Go to step 14
2		Is the LED read-out illuminated (Even a standard keypad)?	Yes → Go to step 3
			No Go to Result 1
3		Does the keypad say "HO1"?	Yes → Go to Result 1
			No Go to step 4
4		Does the keypad say "RST", "E01, E02, E03, E07, E08, E09"?	Yes
			No Go to Result 2
5	Α	Perform a system reset	
	В	Is the desk working properly?	Yes
			No Go to step 6
6		Does the keypad still show "RST"?	Yes Go to Result 2
			No Go to step 7
7		Choose one of the combinations below	
	Α	Error E01 or E07 and Lifting Column (w/o cable) plugged into M1 port	→ Go to Result 4
	В	Error EO2 or EO8 and Lifting Column (w/o cable) plugged into M2 port	→ Go to Result 4
	С	Error E03 or E09 and Lifting Column (w/o cable) plugged into M3 port	→ Go to Result 4
	D	Error E04 or E10 and Lifting Column (w/o cable) plugged into M4 port	→ Go to Result 4
	Е	Error E01 or E07 and Lifting Column w/o cable plugged into M2 port	→ Go to step 8
	F	Error E01 or E07 and Lifting Column w/o cable plugged into M3 port	→ Go to step 9
	G	Error EO2 or EO8 and Lifting Column w/o cable plugged into M1 port	→ Go to step 10
	Н	Error E02 or E08 and Lifting Column w/o cable plugged into M3 port	→ Go to step 11
	1	Error E03 or E09 and Lifting Column w/o cable plugged into M1 port	→ Go to step 12
	J	Error E03 or E09 and Lifting Column w/o cable plugged into M2 port	→ Go to step 13
	K	Error E04 or E10 and leg w/o cable plugged into M1 port	→ Go to step 14
	L	Error E04 or E10 and leg w/o cable plugged into M2 port	→ Go to step 15










8 Make a full swap of the cables, switching both at the ports (M1 and M3) and the legs. Perform a system reset Did the error message change to E03 or E09? Yes → Go to Result 3 No → Go to Result 4 9 Make a full swap of the cables, switching both at the ports (M1 and M2) and the legs. Perform a system reset Did the error message change to E02 or E08? Yes → Go to Result 3 No → Go to Result 4 10 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to E03 or E09? Yes → Go to Result 3 No → Go to Result 4 11 Make a full swap of the cables, switching both at the ports (M1 and M2) and the legs. Perform a system reset Did the error message change to E01 or E07? Yes → Go to Result 3 No → Go to Result 4 12 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to E01 or E07? Yes → Go to Result 3 No → Go to Result 4						
Did the error message change to EO3 or EO9? Yes → Go to Result 4 9 Make a full swap of the cables, switching both at the ports (M1 and M2) and the legs. Perform a system reset Did the error message change to EO2 or EO8? Yes → Go to Result 3 No → Go to Result 4 10 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to EO3 or EO9? Yes → Go to Result 3 No → Go to Result 4 11 Make a full swap of the cables, switching both at the ports (M1 and M2) and the legs. Perform a system reset Did the error message change to EO1 or EO7? Yes → Go to Result 3 No → Go to Result 4 12 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to EO1 or EO7? Yes → Go to Result 3 No → Go to Result 4	8	Make a full swap of the cables, switching both at the ports (M1 and M3) and the legs.				
No → Go to Result 4 Make a full swap of the cables, switching both at the ports (M1 and M2) and the legs. Perform a system reset Did the error message change to E02 or E08? Yes → Go to Result 3 No → Go to Result 4 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to E03 or E09? Yes → Go to Result 3 No → Go to Result 4 Make a full swap of the cables, switching both at the ports (M1 and M2) and the legs. Perform a system reset Did the error message change to E01 or E07? Yes → Go to Result 3 No → Go to Result 3 No → Go to Result 4 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to E02 or E08? Yes → Go to Result 3		Perform a system reset				
9 Make a full swap of the cables, switching both at the ports (M1 and M2) and the legs. Perform a system reset Did the error message change to EO2 or EO8? Yes → Go to Result 3 No → Go to Result 4 10 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to EO3 or EO9? Yes → Go to Result 3 No → Go to Result 4 11 Make a full swap of the cables, switching both at the ports (M1 and M2) and the legs. Perform a system reset Did the error message change to EO1 or EO7? Yes → Go to Result 3 No → Go to Result 4 12 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to EO2 or EO8? Yes → Go to Result 3 No → Go to Result 4		Did the error message change to E03 or E09?	Yes		Go to Result 3	
Perform a system reset Did the error message change to E02 or E08? Yes → Go to Result 3 No → Go to Result 4 10 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to E03 or E09? Yes → Go to Result 3 No → Go to Result 4 11 Make a full swap of the cables, switching both at the ports (M1 and M2) and the legs. Perform a system reset Did the error message change to E01 or E07? Yes → Go to Result 3 No → Go to Result 4 12 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to E02 or E08? Yes → Go to Result 3			No	\longrightarrow	Go to Result 4	
Did the error message change to EO2 or EO8? Yes → Go to Result 3 No → Go to Result 4 10 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to EO3 or EO9? Yes → Go to Result 3 No → Go to Result 4 11 Make a full swap of the cables, switching both at the ports (M1 and M2) and the legs. Perform a system reset Did the error message change to EO1 or EO7? Yes → Go to Result 3 No → Go to Result 4 12 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to EO2 or EO8? Yes → Go to Result 3	9	Make a full swap of the cables, switching both at the ports (M1 and M2) and the legs.				
No → Go to Result 4 10 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to E03 or E09? Yes → Go to Result 3 No → Go to Result 4 11 Make a full swap of the cables, switching both at the ports (M1 and M2) and the legs. Perform a system reset Did the error message change to E01 or E07? Yes → Go to Result 3 No → Go to Result 4 12 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to E02 or E08? Yes → Go to Result 3		Perform a system reset				
10 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to E03 or E09? Yes → Go to Result 3 No → Go to Result 4 11 Make a full swap of the cables, switching both at the ports (M1 and M2) and the legs. Perform a system reset Did the error message change to E01 or E07? Yes → Go to Result 3 No → Go to Result 4 12 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to E02 or E08? Yes → Go to Result 3		Did the error message change to E02 or E08?	Yes	\rightarrow	Go to Result 3	
Perform a system reset Did the error message change to E03 or E09? Yes → Go to Result 3 No → Go to Result 4 11 Make a full swap of the cables, switching both at the ports (M1 and M2) and the legs. Perform a system reset Did the error message change to E01 or E07? Yes → Go to Result 3 No → Go to Result 4 12 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to E02 or E08? Yes → Go to Result 3			No	\rightarrow	Go to Result 4	
Did the error message change to EO3 or EO9? Yes → Go to Result 3 No → Go to Result 4 11 Make a full swap of the cables, switching both at the ports (M1 and M2) and the legs. Perform a system reset Did the error message change to EO1 or EO7? Yes → Go to Result 3 No → Go to Result 4 12 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to EO2 or EO8? Yes → Go to Result 3	10	Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs.				
No → Go to Result 4 11 Make a full swap of the cables, switching both at the ports (M1 and M2) and the legs. Perform a system reset Did the error message change to E01 or E07? Yes → Go to Result 3 No → Go to Result 4 12 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to E02 or E08? Yes → Go to Result 3		Perform a system reset				
11 Make a full swap of the cables, switching both at the ports (M1 and M2) and the legs. Perform a system reset Did the error message change to E01 or E07? Yes → Go to Result 3 No → Go to Result 4 12 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to E02 or E08? Yes → Go to Result 3		Did the error message change to E03 or E09?	Yes	\rightarrow	Go to Result 3	
Perform a system reset Did the error message change to E01 or E07? Yes → Go to Result 3 No → Go to Result 4 12 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to E02 or E08? Yes → Go to Result 3			No	\rightarrow	Go to Result 4	
Did the error message change to E01 or E07? Yes → Go to Result 3 No → Go to Result 4 12 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to E02 or E08? Yes → Go to Result 3	11	Make a full swap of the cables, switching both at the ports (M1 and M2) and the legs.				
No → Go to Result 4 12 Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to E02 or E08? Yes → Go to Result 3		Perform a system reset				
Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs. Perform a system reset Did the error message change to E02 or E08? Yes		Did the error message change to E01 or E07?	Yes	\rightarrow	Go to Result 3	
Perform a system reset Did the error message change to E02 or E08? Yes → Go to Result 3			No	\rightarrow	Go to Result 4	
Did the error message change to E02 or E08? Yes Go to Result 3	12	Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs.				
		Perform a system reset				
No. → Go to Result 4		Did the error message change to EO2 or EO8?	Yes	\longrightarrow	Go to Result 3	
No P do to Result 4			No	\rightarrow	Go to Result 4	
Make a full swap of the cables, switching both at the ports (M1 and M3) and the legs.	13	Make a full swap of the cables, switching both at the ports (M1 and M3) and the legs.				
Perform a system reset		Perform a system reset				
Did the error message change to E01 or E07? Yes \longrightarrow Go to Result 3		Did the error message change to E01 or E07?	Yes	\longrightarrow	Go to Result 3	
No → Go to Result 4			No	\rightarrow	Go to Result 4	










14		Make a full swap of the cables, switching both at the ports (M1 and M4) and the legs.			
		Choose one of the combinations below			
	Α	Is the lagging Lifting Column w/o cable plugged into M1 port		\longrightarrow	Go to Result 4
	В	Is the lagging Lifting Column w/o cable plugged into M2 port		\longrightarrow	Go to Result 4
	С	Is the lagging Lifting Column w/o cable plugged into M3 port		\longrightarrow	Go to Result 4
	D	Is the lagging Lifting Column w/o cable plugged into M4 port		\longrightarrow	Go to Result 4
	Е	Is the lagging leg w/ cable in M1 and leg w/o cable in M2?		\longrightarrow	Go to step 15
	F	Is the lagging leg w/ cable in M1 and leg w/o cable in M3?		\longrightarrow	Go to step 16
	G	Is the lagging leg w/ cable in M2 and leg w/o cable in M1?		\longrightarrow	Go to step 17
	Н	Is the lagging leg w/ cable in M2 and leg w/o cable in M3?		\longrightarrow	Go to step 18
	1	Is the lagging leg w/ cable in M3 and leg w/o cable in M1?		\longrightarrow	Go to step 19
	J	Is the lagging leg w/ cable in M3 and leg w/o cable in M2?		\longrightarrow	Go to step 20
	K	Is the lagging leg w/ cable in M4 and leg w/o cable in M1?		\longrightarrow	Go to step 21
	L	Is the lagging leg w/ cable in M4 and leg w/o cable in M1?		\longrightarrow	Go to step 22
15		Make a full swap of the cables, switching both at the ports (M2 and M4) and the legs.			
		Perform a system reset			
		Did the error message change from E03 or E12?	Yes	\longrightarrow	Go to Result 3
			No	\longrightarrow	Go to Result 4
16		Make a full swap of the cables, switching both at the ports (M1 and M2) and the legs.			
		Perform a system reset			
		Did the error message change to E02 or E08?	Yes	\longrightarrow	Go to Result 3
			No	\longrightarrow	Go to Result 4
17		Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs.			
		Perform a system reset			
		Did the error message change to E03 or E09?	Yes	\longrightarrow	Go to Result 3
			No	\longrightarrow	Go to Result 4
18		Make a full swap of the cables, switching both at the ports (M1 and M2) and the legs.			
		Perform a system reset			
		Did the error message change to E01 or E07?	Yes	\longrightarrow	Go to Result 3
			No	\longrightarrow	Go to Result 4
19		Make a full swap of the cables, switching both at the ports (M2 and M3) and the legs.			
		Perform a system reset			
		Did the error message change to E02 or E08?	Yes	\rightarrow	Go to Result 3
			No	→	Go to Result 4










20	Make a full swap of the cables, switching both at the ports (M1 and M3) and the legs.	
	Perform a system reset	
	Did the error message change to E01 or E07?	Yes Go to Result 3
		No Go to Result 4
21	Make a full swap of the cables, switching both at the ports (M1 and M4) and the legs.	
	Perform a system reset	
	Did the error message change to EO2 or EO7?	Yes Go to Result 3
		No Go to Result 4
22	Make a full swap of the cables, switching both at the ports (M2 and M4) and the legs	•
	Perform a system reset	
	Did the error message change to E02 or E08?	Yes Go to Result 3
		No Go to Result 4









RESULT 1

You have exceeded the 10% duty cycle and the desk is overheated. Wait 20 minutes and the desk should resume normal operation.

RESULT 2

Replace the control box.

RESULT 3

Replace the cable.

RESULT 4

Replace the leg.

If directed to this result from Step 7a replace leg connected to port M1 If directed to this result from Step 7b replace leg connected to port M2 If directed to this result from Step 7c replace leg connected to port M3 If directed to this result from Step 8 replace leg connected to port M1 If directed to this result from Step 9 replace leg connected to port M1 If directed to this result from Step 10 replace leg connected to port M2 If directed to this result from Step 11 replace leg connected to port M2 If directed to this result from Step 12 replace leg connected to port M3 If directed to this result from Step 13 replace leg connected to port M3 If directed to this result from Step 14a replace leg connected to port M1 If directed to this result from Step 14b replace leg connected to port M2 If directed to this result from Step 14c replace leg connected to port M3 If directed to this result from Step 15 replace leg connected to port M1 If directed to this result from Step 16 replace leg connected to port M1 If directed to this result from Step 17 replace leg connected to port M2 If directed to this result from Step 18 replace leg connected to port M2 If directed to this result from Step 19 replace leg connected to port M3 If directed to this result from Step 12 replace leg connected to port M3







FOR TROUBLESHOOTING AND WARRANTY SUPPORT

Contact UPLIFT Desk at 800-349-3839

Use the box below to communicate any important notes about the troubleshooting process, and/or to list any parts missing or damaged for which a replacement is requested.

Name of Troubleshooting Technician

